


MAGNASOURCE INC.

A red industrial sweeper/scrubber vehicle is shown from a rear three-quarter view. The vehicle has a large black grille, a steering wheel, and a seat with an orange safety vest. A yellow and black striped hazard sign is visible on the right side. The background consists of a white plastic sheet and a concrete wall.

**SWEeper
SCRUBBER
PRODUCT
CATALOG**

TABLE OF CONTENTS

01.

AMERICAN LINCOLN

4

Accessories <i>Accesorios</i> <i>Accessoires</i>	4
Brooms and Brushes <i>Escobas y Cepillos</i> <i>Brosses & Balais</i>	4
Electrical <i>Eléctrico</i> <i>Électrique</i>	5
Engine <i>Motor</i> <i>Moteur</i>	7
Filters <i>Filtros</i> <i>Filtres</i>	8
Fuel <i>Combustible</i> <i>Carburant</i>	9
Motor <i>Motor</i> <i>Moteur</i>	11
Squeegees <i>Escurreidores de Goma</i> <i>Raclettes</i>	11
Tires and Wheels <i>Llantas y Ruedas</i> <i>Pneus & Roues</i>	12

02.

FACTORY CAT

13

Accessories <i>Accesorios</i> <i>Accessoires</i>	13
Brooms and Brushes <i>Escobas y Cepillos</i> <i>Brosses & Balais</i>	13
Electrical <i>Eléctrico</i> <i>Électrique</i>	14
Floor Machine Pads <i>Almohadillas de Máquina de Piso</i> <i>Tampons de Sol</i>	14
Hoses <i>Mangueras</i> <i>Tuyaux</i>	15
Motor <i>Motor</i> <i>Moteur</i>	16
Squeegees <i>Escurreidores de Goma</i> <i>Raclettes</i>	16

03.

NILFISK ADVANCE

19

Accessories <i>Accesorios</i> <i>Accessoires</i>	19
Brooms and Brushes <i>Escobas y Cepillos</i> <i>Brosses & Balais</i>	20
Electrical <i>Eléctrico</i> <i>Électrique</i>	22
Engine <i>Motor</i> <i>Moteur</i>	22
Filters <i>Filtros</i> <i>Filtres</i>	23
Fuel <i>Combustible</i> <i>Carburant</i>	24
Hoses <i>Mangueras</i> <i>Tuyaux</i>	24
Motor <i>Motor</i> <i>Moteur</i>	25
Squeegees <i>Escurreidores de Goma</i> <i>Raclettes</i>	26

04.

POWERBOSS

27

Accessories <i>Accesorios</i> <i>Accessoires</i>	27
Brooms and Brushes <i>Escobas y Cepillos</i> <i>Brosses & Balais</i>	28
Electrical <i>Eléctrico</i> <i>Électrique</i>	29
Engine <i>Motor</i> <i>Moteur</i>	29
Filters <i>Filtros</i> <i>Filtres</i>	30
Fuel <i>Combustible</i> <i>Carburant</i>	31
Hoses <i>Mangueras</i> <i>Tuyaux</i>	32
Motor <i>Motor</i> <i>Moteur</i>	32
Squeegees <i>Escurreidores de Goma</i> <i>Raclettes</i>	33

05.

TENNANT

34

Accessories <i>Accesorios</i> <i>Accessoires</i>	37
Brooms and Brushes <i>Escobas y Cepillos</i> <i>Brosses & Balais</i>	36
Electrical <i>Eléctrico</i> <i>Électrique</i>	37
Engine <i>Motor</i> <i>Moteur</i>	38
Filters <i>Filtros</i> <i>Filtres</i>	38
Hoses <i>Mangueras</i> <i>Tuyaux</i>	39
Motor <i>Motor</i> <i>Moteur</i>	41
Squeegees <i>Escurreidores de Goma</i> <i>Raclettes</i>	42
Tires and Wheels <i>Llantas y Ruedas</i> <i>Pneus & Roues</i>	44

ACCESSORIES *Accesorios Accessoires*

IGNITION KEY Application

AM56478641 Hyster Crown Komatsu



SEAT BELT Length Type Color

AM56109301 61.00" 1549mm Retractable Black



SEAT SWITCH Type

AM7-82-00050 Normally open



AM7-82-00064 Twist



BROOMS AND BRUSHES *Escobas y Cepillos Broses & Balais*

Code	Description	Model
------	-------------	-------

AM0765-256 004, 005, 022 Side broom 16" 0.28" medium nylon SC7730, ATS53, ATS46



AM7-08-03205 014, 017, 031 Rotary brush 18" 0.070/46 grit 7760, 772, 9772, 7765



AM7-08-03213 013, 016 Rotary brush 14" 0.028 poly 6200B, 6200H, 6200HIC, 6200S, 6200SS, 7301, 9301



AM8-08-03202 041, 026 Main broom 50" 8 D.R. proex/wire Grenterra, 4366X



AM8-08-03214 010, 026, 041 Main broom 50" 8 D.R. proex/wire 3366, 3366XP, 4366X, Grenterra



Code	Description	Model
------	-------------	-------

AM8-08-03217 009, 021, 022, 030 Main broom 45" 8 D.R. proex/wire SC7750, 2160, 2160XP, ATS46, 7750



AM8-08-03218 005, 021, 022, 030 Main broom 45" 8 D.R. stiff proex/wire ATS53, MPV60, MPV60TS, 2160, 2160XP, ATS46, 7750



AM8-08-03219 005, 009, 021, 022, 030 Main broom 45" 8 D.R. nylon ATS53, MPV60, MPV60TS, SC7750, 2160, 2160XP, ATS46, 7750



AM8-08-03220 005, 009, 021, 022, 030 Main broom 45" 24 S.R. nylon ATS53, MPV60, MPV60TS, SC7750, 2160, 2160XP, ATS46, 7750



AM8-08-03221 005, 009, 021, 022, 030 Main broom 45" 24 S.R. union/wire ATS53, MPV60, MPV60TS, SC7750, 2160, 2160XP, ATS46, 7750



ELECTRICAL *Eléctrico Électrique*

CHARGERS	Lester #	Volts	Amps	Length	Width	Height	Case
----------	----------	-------	------	--------	-------	--------	------

AM0875-124	26040-83-W	24	25	11.00" 279mm	8.70" 221mm	9.40" 239mm	S
------------	------------	----	----	--------------	-------------	-------------	---



AM40510A	18360-83W	24	25	6.38" 162mm	8.63" 219mm	6.25" 159mm	
----------	-----------	----	----	-------------	-------------	-------------	--



DIODE	Description	Application
-------	-------------	-------------

AM912212	24840S	Timer for 13008 charger
----------	--------	-------------------------



GAUGE	Description	Length	Type	Color
-------	-------------	--------	------	-------

AM56478363	10-30	Plastic	Analog	2
------------	-------	---------	--------	---




SEAT SWITCH	Type
-------------	------

AM56409613	Screw
------------	-------







ELECTRICAL *Eléctrico Électrique*


SOLENOID	Lester #	Volts	Amps	Length	Width
AM41811A	24	100	6	Continuous	Flat
					
AM41801A	36	100	4	Continuous	Flat
					
AM41802A	36	100	6	Continuous	Flat
					
AM7-15-08009	36	200	6	Continuous	Flat
					

SWITCH	Description	# of Terminals
AM47374A	Microswitch	3
		

ENGINE Motor Moteur

DISTRIBUTOR CAP					GAUGE				
Part No.	Cylinders	Fixing Type	Height	I.D.	Part No.	Length	Length Up to Rotator Contact	Height	Diameter
AM7-11-00038	3	Clip	2.80" 71mm	2.69" 68mm	AM7-66-08001	1.97" 50mm	1.97" 50mm	1.18" 30mm	0.57" 14mm
									
AM56109016	4	Screw	4.41" 112mm	3.33" 84mm	AM56109017	2.03" 52mm		1.54" 39mm	0.44" 11mm
									




SPARK PLUG		Description	SPARK PLUG		Description
AM0880-665		Spark plug wire set	AM7-75-03002		Spark plug
AM56109022		Spark plug	AM8-75-03008		Spark plug

STARTER	Type	Description	Motor	Teeth	Volts	Rotation	Oil Sealed	Mounting Holes
AM0875-109	Direct drive	New	1.4kW	10	12	CW	No	3
								





FILTERS *Filtros Filtres*

AIR FILTER	Height	I.D.	O.D.		Height	I.D.	O.D.		
AM7-24-04102	7.44" 189mm	1.75" 44mm	3.53" 90mm		AM7-24-04066	11.44" 291mm	1.75" 45mm	2.41" 61mm	
AM56482029	10.43" 265mm	2.36" 60mm	4.16" 106mm		AM7-24-04065	11.84" 300mm	2.31" 59mm	4.13" 104mm	

FUEL FILTER	Height	O.D.		Height	O.D.		
AM56419086	3.03" 77mm	3.31" 84mm		AM56305412	7.09" 180mm	2.22" 56mm	

OIL FILTER	Height	O.D.	Thread Type	Pitch		Height	O.D.	Thread Type	Pitch		
AM7-24-04100	2.84" 72mm	3.00" 76mm	M20	1½		AM7-24-04064	5.41" 137mm	3.69" 94mm	¾	16	
AM56109023	3.19" 81mm	3.69" 94mm	13/16	16							

FILTERS *Filtros Filtres*

PANEL FILTER	Height	Length	Width		Height	Length	Width	
AM7-24-04069	2.19" 56mm	23.50" 597mm	11.25" 286mm		AM8-24-04139-2	3.50" 89mm	30.00" 762mm	18.00" 457mm
AM8-24-04074	2.50" 64mm	23.50" 597mm	12.00" 305mm		AM8-24-04123-1	3.62" 92mm	2.75" 603mm	23.75" 603mm
AM8-24-04139	3.50" 89mm	30.00" 762mm	18.00" 457mm					
TRANSMISSION FILTER	Height	O.D.	Thread Type					
AM8-24-04099	3.44" 87mm	3.03" 77mm	¾					

FUEL *Combustible Carburant*

CONVERTER

Description

AM2-60-02293

Model J converter assembly blue spring



PUMP

Description

AM56305062

Fuel pump



HOSE

Description

AM3-71-00132

LPG hose vapor bulk 5/8"



REGULATOR

Description

AM56109043

Pressure regulator



MIXER

Description

AM56109035

Mixer tamperproof 100 series tier 3



REPAIR KIT

Description

AM7-11-04077

Air gas valve assembly (specific application)



SENSOR

Description

AM56109044

Air temperature sensor tier 3



DESCRIPTION

AM71104081

O₂ sensor post catalyst tier 3



THROTTLE

Description

AM56109033

Throttle body Bosch ETB bi-fuel 3.0L tier 2 and 3



VALVE

Description

AM2-60-02294

Model VDD30 lockoff/filter silicone diaphragm



MOTOR *Motor Moteur*

VACUUM	Fan Diameter	Fan Stages	Design	Discharge Design	Volts	Bearing
AM45019A	5.70" 145mm	3	By-Pass	Tangential	36	Dual ball



SQUEEGEES *Escurreidores de Goma Raclettes*

	Description	Size	Holes	Model
AM7-77-00109	A-1 Tan gum squeegee	3 ⁵ / ₁₆ " x 1/4" x 72 ⁷ / ₈ "		ATS-46







AM56379135	A-1 Tan gum squeegee	3 ⁵ / ₁₆ " x 1/4" x 86 ³ / ₁₆ "		7760
------------	----------------------	---	--	------



AM7-77-00141	Tan gum splashguard	2 ⁷ / ₈ " x 1/4" x 38 ³ / ₁₆ "	8	Smart 2000
--------------	---------------------	--	---	------------





TIRES AND WHEELS *Llantas y Ruedas Pneus & Roues*


	Wheel O.D.	Tread Width
AM419702 	2.50" 64mm	0.69" 17mm
AM88908067 	18.00" 457mm	8.00" 203mm
AM8-65-05015 	8.00" 203mm	3.75" 95mm
TIRE TUBE		Size
AM8-70-00085 	5.00" x 8.00"	

ACCESSORIES *Accesorios Accessoires*

IGNITION KEY	Application	SEAT BELT	Length	Type	Color
FC290-234A	Tennant	FC370-9602	61.00" 1549mm	Retractable	Black

SEAT	H x W x D	M1	M2	Vinyl	Seat Adjuster	Armrest	Replacement Cushions
FC8-143	17.50" x 19.00" x 20.00"	9.50" 10.75" 11.25"	11.00" 11.00" 11.00"	•	•	•	SY1847 back






BROOMS AND BRUSHES *Escobas y Cepillos Broses & Balais*

	Code	Model	Decription
FC285-821C	14	Magnum 30	Main scrub 28" 16 S.R. 0.035/180 grit



ELECTRICAL *Eléctrico Électrique*







CHARGERS	Lester #	Volts	Amps	Length	Width	Height	Case
FC170-2440	18360-83W	24	12	6.38" 162mm	8.63" 219mm	6.25" 159mm	
							
FC21-2440	26040-83-W	24	25	11.00" 279mm	8.70" 221mm	9.40" 239mm	S
							
FC370-2540		36	36	11.00" 279mm	8.70" 221mm	9.40" 239mm	S
							


FLOOR MACHINE PADS *Almohadillas de Máquina de Piso Tampons de Sol*

	Height	O.D.
FC13-422B	13" 5 Pack	Aggressive stripping/wet strip
		
FC15-422R	15" 5 Pack	Scrub/light clean/spray buff
		




	Height	O.D.
FC17-422R	17" 5 Pack	Scrub/light clean/spray buff
		
FC17-422W	17" 5 Pack	Non-abrasive/dry polishing
		

HOSES Mangueras Tuyaux




	Description	Overall Length	Hose I.D.	Cuff 1 I.D.	Cuff 2 I.D.
FC170-7210	Drain hose	32.10" 815mm	1.50" 38mm	1.50" 38mm	2.00" 51mm
					
FC253-0111	Vacuum hose	38.50" 978mm	1.50" 38mm	1.50" 38mm	2.00" 51mm
					
FC250-0111	Squeegee hose	48.00" 1219mm	1.50" 38mm	1.50" 38mm	2.00" 51mm
					
FC370-0111	Vacuum hose	55.00" 1397mm	1.50" 38mm	1.50" 38mm	2.00" 51mm
					
FC290-7210	Drain hose		2.52" 64 mm	2.00" 51mm	2.00" 51mm
					
FC253-0121	Vacuum hose	27.00" 686mm	2.00" 51mm		
					

HOSE CLAMP	Height	O.D.
FC13-422B	13" 5 Pack	Aggressive stripping/Wet strip
		







MOTOR Motor Moteur

VACUUM	Fan Diameter	Fan Stages	Design	Discharge Design	Volts	Bearing
FC5-225	5.70" 145mm	3 Stages	By-Pass	Peripheral	24	Dual ball
						
FC190-5250	5.70" 145mm	3 Stages	By-Pass	Tangential	24	Dual ball
						
FC250-5250	5.70" 145mm	3 Stages	By-Pass	Tangential	36	Dual ball
						

SQUEEGEES Escurridores de Goma Raclettes


	Description	Size	Holes	Notches	Model
FC250-1235L	Red gum squeegee	3" x 1/4" x 23 3/4"	7		GTX-24, GTX-27 GTX-30, GTX-34
					
FC370-756L	Red gum squeegee	3 1/2" x 1/4" x 61 9/32"	8		XR
					
FC22-755L	Red gum squeegee	34 1/8" x 2 3/8"	8	8	
					

SQUEEGEES *Escurreidores de Goma Raclettes*


	Description	Size	Holes	Notches	Model
FC25-755L	Red gum squeegee	39" x 2 $\frac{3}{8}$ "	8	8	
					
FC370-755L	Red gum squeegee	39" x 2 $\frac{3}{8}$ "	8	8	
					
FC370-757L	Red gum squeegee	59 $\frac{5}{8}$ " x 3 $\frac{1}{2}$ "	8	14	
					
FC25-754L	Red gum squeegee	41" x 2 $\frac{1}{2}$ "	8		
					
FC370-754L	Red gum squeegee	54 $\frac{13}{16}$ " x 3 $\frac{1}{2}$ "	8		
					
FC28-755L	Red gum squeegee	42 $\frac{25}{32}$ " x 2 $\frac{3}{8}$ "	8	8	
					

SQUEEGEES *Escurridores de Goma Raclettes*


	Description	Size	Holes	Notches	Model
FC250-1139L	Red gum squeegee	27½" x 4"	6		




FC370-1235L	Red gum squeegee	27¾" x 3 1/16"	8		
-------------	------------------	----------------	---	--	--




FC28-770L	Squeegee kit	45" x 2½"			
-----------	--------------	-----------	--	--	--





SQUEEGEE WHEEL	Wheel O.D.	Tread Width		Wheel O.D.	Tread Width
FC5-757	3.03" 77mm	3.31" 84mm		FC5-760	7.09" 180mm 2.22" 56mm



WIPER	Description	Size	Holes	Model
FC253-9010	Cylindrical wiper	2¼" x ¼" x 12¾"	3	Minimag Magnum Series











NILFISK ADVANCE

ACCESSORIES *Accesorios* *Accessoires*








CASTERS	Wheel Diameter	Wheel Width	Wheel Material	Height
AD7-89-08073 	2.44" 62mm	1.22" 31mm	Polyurethane	3.90" 99mm
AD56407344 	2.52" 64mm	1.38" 35mm	Rubber	5.04" 128mm

SEATS	H x W x D	M1	M2	Vinyl	Seat Adjuster	Armrest	Replacement Cushions
AD56409021 	18.70" x 18.40" x 21.50"	11.25"	11.50"	•	•	•	•
AD56481346 	18.70" x 18.40" x 21.50"	11.25"	11.50"	•			





BROOMS AND BRUSHES Escobas y Cepillos Broses & Balais

	Code	Description	Model
	AD33018858 42	Main broom 35" 6 D.R. proex/wire	Protterra
	AD56110011 004, 005	Main broom 48" 24 S.R. poly	1300, 1600
	AD56462252 005, 006, 010, 012, 015, 039	Side broom 10" 3 S.R. poly	1600, 4600, 4600B, 1700, 2067, 4500, 4300, 4800, 2820D, 5400, 2042/2042C
	AD56477812 002, 007, 013, 014	Side broom 13" 2 S.R. poly	560, 5600, 5800B, 5800D, 5800G, 5800P, 1800, 2060, 6250, 5100D, 5100G, 5100P, 5100PS, 5200G, 5200HD
	AD56505240 006, 007	Main broom 45" 8 D.R. proex/wire	1700, 2067, 4500, 1800, 2060, 6250
	AD56505764 003, 004, 030	Main broom 45" 8 D.R. proex/wire	260B, 260BHD, 260HD, 265HD, Converta-Max 26, 1300, 2052, 5000, 5015, 3830D
	AD56505788 012, 017, 033, 045	Rotary brush 16" 0.035/180 grit	4800, 32B, 32BD, 32LX, 320BHD, 320HD, 325HD, 325LX, 3200, BR850, ConvertaMax 34, I-Max 34HD, 4830D, Advenger 3405D
	AD56505955 010, 012, 015	Main broom 40" 8 D.R. proex/wire	4300, 4800, 2820D, 5400


BROOMS AND BRUSHES *Escobas y Cepillos Broses & Balais*

	Code	Description	Model
	AD56507342 26	Main broom 50" 12 D.R. proex/wire	6340, Exterra
	AD56507350 26	Side broom 15" 3 S.R. poly	6340, Exterra
	AD56507424 26	Main broom 50" 8 D.R. proex/wire	6340, Exterra
	AD7-08-03205-1 014, 01, 031	Rotary brush 18" 0.070/46 grit	7760, 772, 9772, 7765
	AD8-08-03211 041, 005, 006, 009, 010, 011, 021, 022, 026, 030, 002, 005, 012, 013, 023, 024, 033	Side broom 13" 3 S.R. nylon	Greterra, ATS53, MPV60, MPV60TS, 220, 2260, 2260XP, SC7750, 3366, 3366XP, 6150, 2160, 2160XP, ATS46, 4366X, 7750, 80, 85, 86, 88, 90, 91, 240, 250, 255, 260, 265, 275, 275SE, 280, 255II, 275II, 285, 36, 75, 220, 360, 365, 240EH
	AD8-08-03217 009, 021, 022, 030	Main broom 45" 8 D.R. proex/wire	SC7750, 2160, 2160XP, ATS46, 7750
	AD8-08-03219 005, 009, 021, 022, 030	Main broom 45" 8 D.R. nylon	ATS53, MPV60, MPV60TS, SC7750, 2160, 2160XP, ATS46, 7750

ELECTRICAL Eléctrico Électrique

CHARGERS	Lester #	Volts	Amps	Length	Width	Height	Case
AD56206975	18360-83W	24	12	6.38" 162mm	8.63" 219mm	6.25" 159mm	
							
AD56315124		24	25	9.70" 246mm	10.20" 260mm	4.50" 114mm	
							
AD56383075		24	25	11.00" 279mm	8.70" 221mm	9.40" 239mm	S
							
AD388120		36	36	11.00" 279mm	8.70" 221mm	9.40" 239mm	S
							

ENGINE Motor Moteur

WATER PUMP	Height	Length
AD56305986	3.72" 94mm	4.25" 108mm
		

FILTERS *Filtros Filtres*

AIR FILTER	Height	I.D.	O.D.		Height	I.D.	O.D.		
AD7-24-04046	3.19" 81mm	44.00" 1118mm	12.00" 305mm		AD56482029	10.43" 265mm	2.36" 60mm	4.16" 106mm	

AD56482305	3.56" 91mm	30.00" 762mm	20.00" 508mm		AD7-24-04066	11.44" 291mm	1.75" 45mm	2.41" 61mm	
------------	---------------	-----------------	-----------------	---	--------------	-----------------	---------------	---------------	--

AD56482028	10.24" 260mm	1.77" 45mm	2.44" 62mm		AD33020446	11.84" 300mm	2.31" 59mm	4.13" 104mm	
------------	-----------------	---------------	---------------	--	------------	-----------------	---------------	----------------	---

HYDRAULIC FILTER	Height	O.D.		OIL FILTER	Height	O.D.	Thread Type		
AD56419254	5.53" 141mm	3.13" 79mm			AD56508458	2.62" 67mm	2.56" 65mm	M20 x 1½	

PANEL FILTER	Height	Length	Width		Height	Length	Width		
AD56303580	3.19" 81mm	27.00" 686mm	20.00" 508mm		AD56382789	3.50" 89mm	30.00" 762mm	18.00" 457mm	

AD56416618	3.25" 83mm	27.00" 686mm	20.00" 508mm		AD8-24-04139-1	3.50" 89mm	30.00" 762mm	18.00" 457mm	
------------	---------------	-----------------	-----------------	---	----------------	---------------	-----------------	-----------------	--

FUEL *Combustible Carburant*

MIXER

Description

AD56306101

Mixer assembly 60 series tier 3



REGULATOR

Description

AD56109043

Regulator assembly EPR tier 3







Description

AD56507725

LPG regulator





HOSES *Mangueras Tuyaux*



	Description	Overall Length	Hose I.D.	Cuff 1 I.D.	Cuff 2 I.D.
AD56112310	Drain hose	74.50" 1892mm	1.50" 38mm	1.59" 40mm	1.50" 38mm
					
AD56315268	Vacuum hose	56.50" 1435mm	1.50" 38mm	2.00" 51mm	2.00" 51mm
					
AD56413377	Drain hose	69.00" 1753mm	2.00" 51mm	2.00" 51mm	2.00" 51mm
					
AD56396031	Drain hose	73.00" 1854mm	2.00" 51mm	2.50" 34mm	1.75" 44mm
					



NILFISK ADVANCE

HOSES *Mangueras Tuyaux*









	Description	Overall Length	Hose I.D.	Cuff 1 I.D.	Cuff 2 I.D.
AD56305377	Hose assembly	26.00" 660mm	3.00" 76mm	3.00" 76mm	3.00" 76mm
					
AD56381937	Drain hose	44.00" 1118mm		1.80" 46mm	
					

MOTOR *Motor Moteur*

ACTUATOR	Outgoing Shaft	Total Length	Armature Housing Length	Diameter	Terminal Clamps	Volts	Amps	RPM	HP
AD56380406		10.35" 263mm	5.63" 143mm	3.70" 94mm	3	24	35	50	0.25
									

VACUUM	Fan Diameter	Fan Stages	Design	Discharge Design	Volts	Bearing
AD56391208	5.70" 145mm	3 Stages	By-Pass	Tangential	36	Dual ball
						
AD56412218	5.70" 145mm	3 Stages	By-Pass	Tangential	24	Dual ball
						

SQUEEGEES *Escurridores de Goma Raclettes*

	Description	Size	Holes	Model
AD56413654	Red gum squeegee	5 ⁵ / ₁₆ " x 3 ³ / ₈ " x 36 ³ / ₃₂ "	12	Condor 4030D
				
AD56305686	Squeegee kit red gum			Captor 4800
				
AD56305697	Squeegee kit red gum			CR1100, CR1200, CR1400
				
AD56314865	Squeegee kit red gum			BA755
				
AD56315674	Squeegee kit tan gum			BA755, BA822
				
AD56413757	Squeegee kit red gum			SC6500
				
AD56413762	Squeegee kit red gum			Condor 4030D, 4030C, X4030D
				
AD7-77-00105	Tan gum squeegee	3 ⁵ / ₁₆ " x 1 ¹ / ₄ " x 86 ⁷ / ₈ "		7760, ATS4653
				

ACCESSORIES *Accesorios* *Accessoires*

HEADLIGHT	H x W x L	Description
PB3301359	5.70" x 3.15" x 8.19"	12V sealed beam headlight



FAN	Blade Type/Shape	O.D.	Large Holes	Distance Between Large Holes	Profile	Number of Blades	Mount Hole Diameter
PB3305356	PVC standard	15.63" 397mm	4	1.57" 40mm	1.73" 44mm	6	0.94" 24mm



SEATS	H x W x D	M1	M2	Vinyl	Cloth	Suspension	Weight Adjuster	Backrest Adjustment	Seat Adjuster	Armrest
PB3316892	18.70" x 18.40" x 21.50"	8.00" 11.25"	11.50" 11.50"	•	•	•	•	•	•	•












PB3318599	18.70" x 18.40" x 21.50"	8.00" 11.25"	11.50" 11.50"	•	•	•	•			
-----------	--------------------------	-----------------	------------------	---	---	---	---	--	--	--




PB3300489	18.70" x 18.40" x 21.50"	12.91"	11.00" 11.50"	•	•	•	•			
-----------	--------------------------	--------	------------------	---	---	---	---	--	--	--





BROOMS AND BRUSHES *Escobas y Cepillos Broses & Balais*

	Code	Decription	Model
PB300308 	003, 004, 005, 008, 009, 012, 013, 014, 015, 016, 024, 025, 027, 028, 029, 030	Side broom 13" 3 S.R. nylon	9082, 90, 95, 88, SW/75II, SW/7X, 9090, SW/8X, 75, 72, 78, SW100, SW/10X, SW/6X, SW9X, TSS80, TSS82-85, TSS90
PB305663 	030	Main broom 48" 8 D.R. proex/wire	TSS90
PB305665 	004, 009, 027, 030	Main broom 48" 24 S.R. nylon	90, 95, SW/7X, SW9X, TSS90
PB315315 	004, 009, 027, 030	Main broom 48" 8 D.R. stiff nylon	90, 95, SW/7X, SW9X, TSS90
PB3300302 	001, 010, 014, 016, 025, 026	Main broom 36" 8 D.R. proex/wire	62, 65, 52, 75, 78, SW/6X, 71
PB3305662 	002, 008, 013, 028, 029	Main broom 42" 8 D.R. proex/wire	82, 85, SW/7511, SW/8X, TSS80, TSS82-85
PB3305664 	002, 008, 013, 028, 029	Main broom 42" 24 S.R. nylon	82, 85, SW/75II, SW/8X, TSS80, TSS82-85
PB3313135 	011, 029	Rotary brush 14" 0.028 nylon	SCV82, SCV85, TSS82-85
PB3332544 	011, 029	Rotary brush 14" 0.035/180 grit	SCV82, SCV85, TSS82-85




ELECTRICAL *Eléctrico Électrique*

CHARGERS	Lester #	Volts	Amps	Length	Width	Height	Case
PB957722	18360-83W	24	12	6.38" 162mm	8.63" 219mm	6.25" 159mm	
							
PB957740		36	36	11.00" 279mm	8.70" 221mm	9.40" 239mm	S
							

ENGINE *Motor Moteur*

WATER PUMP	Height	Length	IGNITION COIL	Total Length	Resistance	Bracket
PB3343668	3.72" 94mm	4.25" 108mm	PB3342408	3.94" 100mm	Internal	No
						

FILTERS *Filtros Filtres*

AIR FILTER									
	Height	I.D.	O.D.		Height	I.D.	O.D.		
PB3305645 	2.75" 70mm	20.00" 508mm	15.00" 381mm	PB322572 	10.24" 260mm	1.77" 45mm	2.44" 62mm		
PB3330678 	6.63" 168mm	1.19" 30mm	1.81" 46mm	PB3302842 	10.34" 263mm	0.78" 20mm	4.09" 104mm		
PB3330677 	7.44" 189mm	1.75" 44mm	3.53" 90mm	PB3321143 	10.43" 265mm	2.36" 60mm	4.16" 106mm		
PB302597 	8.47" 215mm	0.41" 10mm	2.37" 60mm	PB3332568 	15.37" 390mm	0.66" 17mm	5.25" 133mm		
OIL FILTER									
	Height	O.D.	Thread Type	Pitch		Height	O.D.	Thread Type	Pitch
PB3331667 	3.25" 83mm	3.69" 94mm	¾	16	PB3342201 	3.50" 90mm	2.91" 74mm	M18	1½


FILTERS *Filtros Filtres*

PANEL FILTER	Height	Length	Width		Height	Length	Width	
PB3300390	2.75" 70mm	15.00" 381mm	20.00" 508mm		PB3334165	3.19" 81mm	31.00" 787mm	24.00" 610mm
PB307432	3.19" 81mm	18.00" 457mm	24.00" 610mm					

TRANSMISSION FILTER	Height	O.D.	Thread Type	
PB3300359	6.13" 156mm	3.75" 95mm	1 $\frac{1}{8}$ "	

FUEL *Combustible Carburant*

CAP	Description
PB3343413	Fuel tank cap
	

PUMP	Description
PB3330692	Fuel pump
	

MIXER	Description
PB3339870	Mixer assembly 60 series tier 3
	

REGULATOR	Description
PB3339858	Regulator assembly EPR tier 3
	

HOSES *Mangueras Tuyaux*

	Description	Overall Length	Hose I.D.	Cuff I.D.
PB3302480	Drain hose	44.50" 1130 mm	2.50" 64mm	2.50" 64mm



MOTOR *Motor Moteur*

MOUNT	length	I.D.	O.D.
PB3300465	1.02" 26mm	0.83" 21mm	0.39" 10mm










VACUUM	Fan Diameter	Fan Stages	Design	Discharge Design	Volts	Bearing
PB740225	5.70" 145mm	3 Stages	By-Pass	Tangential	24	Dual ball



PB740228	5.70" 145mm	3 Stages	By-Pass	Tangential	36	Dual ball
----------	-------------	----------	---------	------------	----	-----------




SQUEEGEES *Escurridores de Goma Raclettes*

	Description	Size	Holes	Notches	Model
PB3331329	Inner squeegee blade	2 $\frac{5}{8}$ " x $\frac{1}{4}$ " x 57"	10	11	T82, T90, C82, C90
					
PB3308774	Red gum squeegee	4 $\frac{1}{4}$ " x $\frac{3}{8}$ " x 27 $\frac{19}{32}$ "	6		T82, T90, C82, C90
					
PB3331323	Red gum squeegee	4 $\frac{1}{4}$ " x $\frac{3}{8}$ " x 36 $\frac{15}{16}$ "	6		T82, T90, C82, C90 M82, M90
					
PB3308816	Rear tan gum squeegee	5" x $\frac{3}{8}$ " x 58 $\frac{1}{4}$ "	9		T82, T90, C82, C90
					
PB730788	Rear red gum squeegee	61 $\frac{3}{4}$ " x 3 $\frac{5}{8}$ "	10		
					
PB730787	Inner red gum squeegee	57" x 3 $\frac{1}{4}$ "	10	18	
					
PB730644	Side red gum squeegee	30 $\frac{11}{16}$ " x 3"	11		
					

ACCESSORIES *Accessorios Accessoire*


CASTERS	Wheel Diameter	Wheel Width	Wheel Material	Length	Width	A	B	Height
TN1049048	3.94" 100mm	1.38" 35mm	Polyurethane	4.33" 110mm	4.02" 102mm	2.80" 71mm	3.31" 84mm	5.31" 135mm





HEADLIGHT	H x W x L	Description
TN1060942	4.65" x 2.28" x 6.30" 118mm x 58mm x 160mm	Oval








KNOB	Diameter	Height	Mounting Type	Thread
TN370100	2.75" 70mm	1.12" 28mm	Female insert	5/16" - 18



SEATS	H x W x D	M1	M2	Vinyl	Suspension	Weight Adjuster	Backrest Adjustment	Seat Switch	Seat Adjuster	Seat Belt	Armrest	Replacement Cushions
TN53871	14.00" x 19.50" x 18.00"	8.00"	11.00"	•					•			
TN1201894	15.28" x 18.36" x 20.74"	8.00"	11.50"	•								

ACCESSORIES *Accesorios* *Accessoires*

SEATS	H x W x D	M1	M2	Vinyl	Suspension	Weight Adjuster	Backrest Adjustment	Seat Switch	Seat Adjuster	Seat Belt	Armrest	Replacement Cushions
TN9005082	15.28" x 18.36" x 20.74"	8.00" 8.20"	11.50" 5.00"	•								
												
TN53845	19.37" x 18.90" x 20.08"	12.91"	9.60"	•	•	•	•		•			SY91809 back SY91808 bottom
												
TN377070	20.08" x 18.50" x 21.65"	12.91"	9.84"	•	•	•	•		•			
												
TN77235	21.80" x 19.40" x 23.13"	8.00"	11.00"	•					•		•	
												
TN1022105	23.53" x 19.15" x 22.56"	11.25"	11.00"	•	•	•	•	•	•	•	•	
												

ACCESSORIES *Accesorios Accessoires*

SEAT BELT	Length	Type	Color
TN30533	44.30" 1125mm	Lap	Black



TUBE	Length	Smallest Inner Diameter	Largest Inner Diameter
TN9003794	11.46" 291mm	2.87" 73 mm	3.54" 90mm



BROOMS AND BRUSHES *Escobas y Cepillos Broses & Balais*

	Code	Description	Model
TN1026222	047	Main scrub 40" 24 S.R. 0.060 grit	M20, T20



TN1026223	047	Main scrub 40" 24 S.R. poly	M20, T20
-----------	-----	-----------------------------	----------



TN1027688	047, 048	Side broom 15" 6 S.R. poly	M20, T20, M30
-----------	----------	----------------------------	---------------



TN1027380	011, 038, 042, 049, 050	Side broom 14" 3 S.R. poly	355, 355E, 385, 8400, 8410, 6400, 8200-8210, S20, S30
-----------	-------------------------	----------------------------	---



TN1030969	047	Main scrub 40" 24 S.R. stiff poly	M20, T20
-----------	-----	-----------------------------------	----------




TN1033375	048	Main scrub 48" 24 S.R. poly	M30
-----------	-----	-----------------------------	-----



BROOMS AND BRUSHES *Escobas y Cepillos Broses & Balais*

	Code	Description	Model
TN1041102 	002, 005, 011, 012, 033, 038, 042, 049, 050	Side broom 14" 3 S.R. nylon	80, 85, 86, 88, 90, 91, 240, 250, 255, 260, 265, 275, 275SE, 280, 355, 355E, 385, 8400, 8410, 255II, 275II, 285, 240EH, 6400, 8200-8210, S20, S30
TN1042500 	011, 028, 041, 042, 043, 047, 048	Rotary brush 16" 0.028 poly	355, 355E, 385, 8400, 8410, 480, 1480, 5680-800D, 5700-800D, 7100-32D, 8010, 8200-8210, 8300, M20, T20, M30
TN1220235 	011, 028, 030, 039, 040, 041, 042, 043, 047, 048	Rotary brush 16" 0.028 nylon	355, 355E, 385, 8400, 8410, 480, 1480, 5680-800D, 5700-800D, 7100-32D, 515, 515SS, 8200, 8210, 7300, 7400, 8010, 8200-8210, 8300, M20, T20, M30
TN1220237 	015	Rotary brush 14" 0.028 poly	5680-700D, 5700-700D, 7100-28D
TN1220238 	015	Rotary brush 14" 0.028 nylon	5680-700D, 5700-700D, 7100-28D

ELECTRICAL *Eléctrico Électrique*

CHARGERS	Volts	Amps	Length	Width	Height
TN7930220 	24	20	6.34" 161mm	7.10" 180mm	6.50" 165mm


ENGINE *Motor Moteur*

IGNITION COIL	Total Length	Resistance	Bracket
TN9010244	3.48" 89mm	Optional	No



FILTERS *Filtros Filtres*

AIR FILTER	Height	I.D.	O.D.
TN382493	7.05" 90mm	1.77" 45mm	3.54" 90mm



HOPPER FILTER	Height	I.D.	O.D.
TN1045900	15.35" 390mm	6.69" 170mm	11.02" 280mm











	Height	I.D.	O.D.
TN9008919	13.31" 338mm	6.69" 170mm	11.02" 282mm










AIR FILTER	Height	I.D.	O.D.
TN1021579	9.92" 252mm	4.02" 102mm	3.07" 78mm



FILTERS *Filtros Filtres*

PANEL FILTER	Height	Length	Width		Height	Length	Width
TN1048295AM 	3.19" 81mm	30.00" 762mm	20.00" 508mm	TN1037210AM 	4.19" 106mm	16.00" 406mm	24.00" 610mm
TN1039879AM 	3.56" 91mm	30.00" 762mm	20.00" 508mm	TN1037209AM 	4.20" 107mm	21.00" 533mm	13.30" 338mm
TN1037207AM 	3.25" 83mm	30.00" 762mm	20.00" 508mm	TN9003179 	2.75" 70mm	11.32" 288mm	7.38" 187mm
TN1037199AM 	2.19" 56mm	22.00" 559mm	15.00" 381mm	TN1043177 	1.00" 25mm	11.00" 279mm	6.00" 152mm

HOSES *Mangueras Tuyaux*

	Description	Overall Length	Hose I.D.	Cuff 1 I.D.	Cuff 2 I.D.
TN1068092	Vacuum hose	73.60" 1869mm	0.50" 13mm	0.45" 11mm	0.50" 13mm
					
TN1014026	Vacuum hose	57.50" 1461mm	1.50" 38mm	1.50" 38mm	1.50" 38mm
					
TN1043538	Drain hose	31.50" 800mm	1.70" 43mm		
					
TN1060269	Drain hose	32.75" 832mm	2.00" 51mm		
					
TN1031610	Squeegee hose	22.00" 559mm	3.00" 76mm	3.00" 76mm	3.00" 76mm
					
TN1019424	Drain hose	48.00" 1219mm	3.00" 76mm	3.00" 76mm	
					
TN1028236	Vacuum hose	14.00" 356mm	3.00" 76mm	3.00" 76mm	3.00" 76mm
					

HOSES *Mangueras Tuyaux*

	Description	Overall Length	Hose I.D.	Cuff 1 I.D.	Cuff 2 I.D.
TN1021511	Vacuum hose	19.00" 483mm	3.00" 76mm	3.00" 76mm	



TN1017380	Drain hose	31.50" 800mm		1.80" 46mm	
-----------	------------	--------------	--	------------	--



MOTOR *Motor Moteur*








ELECTRIC	Outgoing Shaft	Total Length	Armature Housing Length	Diameter	Terminal Clamps	Volts	Amps	RPM	HP
TN22374400	Special	10.23" 260mm	6.96" 176mm	4.00" 101mm	Leads	36	17	1725	1










VACUUM	Fan Diameter	Fan Stages	Design	Discharge Design	Volts	Bearing
TN9002562	5.70" 145mm	3 Stages	By-Pass	Tangential	24	Dual ball



SQUEEGEES *Escurredores de Goma Raclettes*

	Description	Size	Holes	Notches	Model
TN1031011	Red gum squeegee	3 ⁹ / ₁₆ " x 3 ⁵ / ₈ " x 38 ¹ / ₂ "	10		M20, M30, T20
					
TN1031331	Red gum squeegee rear	4" x 3 ⁵ / ₈ " x 53 ³ / ₄ "	8		M20, T20
					
TN1017868	Red gum squeegee	3 ¹ / ₂ " x 3 ⁵ / ₈ " x 49 ¹ / ₂ "	8		M20, T20
					
TN1031823	Tan gum squeegee blade	37 ³ / ₁₆ " x 3 ⁹ / ₁₆ "	10		
					
TN1031945	Natural urethane squeegee	4" x 3 ⁵ / ₈ " x 53 ¹³ / ₁₆ "	8		M20, T20
					
TN1027719	Front tan gum squeegee	49 ³ / ₄ " x 3 ¹ / ₂ "	8	14	
					
TN1035052	Red gum squeegee	4" x 3 ⁵ / ₈ " x 63 ¹ / ₈ "	10		M30
					

SQUEEGEES *Escurridores de Goma Raclettes*

	Description	Size	Holes	Notches	Model
TN1035067	Red gum squeegee	3½" x ¾" x 58¾"	10		M30
					
TN1025005	Red gum squeegee plastic channel	26¾"			M20, M30, T20
					
TN1046980	Side brush squeegee blade	4½" x ¾" x 24¼"	18		M20
					
TN1021333	Red gum squeegee	2" x ¾" x 41½"	13		T5, T5E
					
TN1054670	Red gum squeegee	25¾" x 47/16"	7		
					
TN1021804	Red gum squeegee	1½" x 1/8" x 38¼"	13	12	T5, T5E
					
TN1019295	Black neoprene skirt	27½" x 10¾"	6		
					

SQUEEGEES *Escurridores de Goma Raclettes*

	Description	Size	Holes	Notches	Model
TN1213211	Red gum squeegee	30 ⁹ / ₁₆ " x 3 ¹⁵ / ₁₆ "	7		



TIRES AND WHEELS *Llantas y Ruedas Pneus & Roues*

	O.D.	Width	I.D.
TN1059343	18.00" 457mm	6.00" 152mm	11.25" 286mm



	WHEEL O.D.	Tread Width	I.D.
TN1020688	8.34" 213mm	2.00" 52mm	0.51" 13mm



Parts sourced by TVH.

MAGNASOURCE INC.

833-362-8590 / support@magnasourceinc.com
WWW.MAGNASOURCEINC.COM